



PCT/GB 0 0 / 0 1 1 2 9 36 9 1 7

The Patent Office Concept House Cardiff Road Newport

South Wales NP10 800

REC'D 28 JUN 2000

WIPO PC


INVESTOR IN PEOPLE

I, the undersigned, being an officer duly authorised in accordance with Section74(1) and (4) of the Deregulation and Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the international application filed on 31 March 1999 under the Patent Cooperation Treaty at the UK Receiving Office. The application was allocated the number PCT/GB99/02040.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or the inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.



GC Shadbalt

Date:

Signed

20 April 2000

PRIORITY DOCUMENT

SUBMITTED OR TRANSMITTED IN COMPLIANCE WITH RULE 17.1(a) OR (b)

An Executive Agency of the Department of Trade and Industry



REQUEST

The undersigned requests that the present international application be processed according to the Patent Cooperation Treaty.

For receiving Office use only					
International Application No.	7/GB :	9 9 / 0 2	040		
International Filing Date	29	JUNE 06	199 9 <i>¶</i> .9		
United Kin PCT Inter Name of receiving office an	nationa	I Applica	tion		

Applicant's or agent's file reference

	(if desired) (12 characters i	maximum) M99/0424/PCT			
Box No. 1 TITLE OF INVENTION					
APPARATUS	FOR FEEDING SE	HEET MATERIAL			
Box No. II APPLICANT					
Name and address: (Family name followed by given name: for a designation. The address must include postal code and name of co address indicated in this Box is the applicant's State (that is, count of residence is indicated below.)	ו legal entity. full official untry. The country of the y) of residence if no State	X This person is also inventor.			
SULLIVAN John Anthony Pinfold		Telephone No.			
Church Lane	Facsimile No.				
Woodford Cheshire SK7 1RO					
GB		Teleprinter No.			
State (that is, country) of nationality:	State (that is, country)	of residence:			
This person is applicant	ed States except the				
		America only the States indicated in the Supplemental Box			
Box No. III FURTHER APPLICANT(S) AND/OR (FURT	THER) INVENTOR(S)				
Name and address: (Family name followed by given name: for a designation. The address must include postal code and name of co address indicated in this Box is the applicant's State (that is. countr of residence is indicated below.)	legal entiv. full official unity. The country of the y) of residence if no State	This person is:			
		applicant and inventor			
. *		inventor only (If this check-box is marked, do not fill in below.)			
State (that is. country) of nationality:	State (that is, country) of	of residence:			
This person is applicant all designated for the purposes of:		e United States the States indicated in the Supplemental Box			
Further applicants and/or (further) inventors are indicated on a continuation sheet.					
Box No. IV AGENT OR COMMON REPRESENTATIVE: OR ADDRESS FOR CORRESPONDENCE					
The person identified below is hereby/has been appointed to act of the applicant(s) before the competent International Authorities	on behalf x x a	gent common representative			
Name and address: (Family name followed by given name: for designation. The address must include postal of	a legal entity, full official	Telephone No.			
McNeight, David Leslie	oue and name of coam, v.,	0161 480 6394			
Lawrence, John Gordon		Facsimile No.			
McNeight & Lawrence		0161 480 2622			
Regent House, Heaton: Lane, Stockport, Cheshire, SK4 1BS					
GB		Teleprinter No.			
Address for correspondence. Most this children					
Address for correspondence: Mark this check-box where space above is used instead to indicate a special address to	no agent or common repres	entative is/has been appointed and the			

Box N	OX NO.V DESIGNATION OF STATES						
The following designations are hereby made under Rule 4.9(a) (mark the applicable check-toxes: at least one must be marked):							
Regional Patent							
Ø		P ARIPO Patent: GH Ghana, GM Gambia, KE Kenya, LS Lesotho, MW Malawi, SD Sudan, SZ Swaziland, UG Hoanda					
X	EA	ZW Zimbabwe, and any other State which is a Contracting State of the Harare Protocol and of the PCT Eurasian Patent: AM Armenia. AZ Azerbaijan. BY Belarus. KG Kyrgyzstan. KZ Kazakhstan. MD Republic of Moldova. RU Russian Federation. TJ Tajikistan. TM Turkmenistan. and any other State which is a Contracting State of the Eurasian Patent Convention and of the PCT					
Ø	EP	European Patent: AT Austria. BE Belgium. CH and LI Switzerland and Liechtenstein. CY Cyprus. DE Germany. DK Denmark. ES Spain. FI Finland. FR France. GB United Kingdom. GR Greece. IE Ireland. IT Italy. LU Luxembourg. MC Monaco. NL Netherlands. PT Portugal. SE Sweden, and any other State which is a Contracting State of the European Patent. Convention and of the PCT					
図	OA	OA OAPI Patent: BF Burkina Faso. BJ Benin. CF Central African Republic. CG Congo. CI Côte d'Ivoire. CM Cameroon. GA Gabon. GN Guinea. GW Guinea-Bissau. ML Mali. MR Mauritania. NE Niger. SN Senegal. TD Chad. TG Togo. and any other State which is a member State of OAPI and a Contracting State of the PCT (if other kind of protection or treatment desired specify on dotted line)					
Nation	al Pate	nt (if other kind of protection or treatment desired, specify o					
図		Albania	図		Lesotho		
\boxtimes		Armenia	X	LT	Lithuania		
⊠ ⊠	AT	Austria	=				
				LU	Luxembourg		
X	AU	Australia	図	_	Latvia		
\square		Azerbaijan .	\boxtimes		Republic of Moldova		
\square	BA	Bosnia and Herzegovina	\boxtimes	MG	Madagascar		
\boxtimes	BB	Barbados	\boxtimes	MK	The former Yugoslav Republic of Macedonia		
\boxtimes	BG	Bulgaria					
\boxtimes	BR	Brazil	X	MN	Mongolia		
X	BY	Belarus	$\overline{\mathbf{x}}$		/ Malawi		
Image: square and s		Canada	X				
$\overline{\mathbf{x}}$		and LI Switzerland and Liechtenstein		_	Mexico		
			図		Norway		
团	CN		\boxtimes	NZ	New Zealand		
图			Ø	PL	Poland		
☑	CZ		図	PT	Portugal		
X	DE	Germany	X	RO	Romania		
\boxtimes	DK	Denmark	M	RU	Russian Federation		
\boxtimes	EE	Estonia	\square	SD	Sudan		
X	ES	Spain	$\overline{\mathbf{x}}$	SE	Sweden		
XI	FI	Finland	図	SG	Singapore		
$\overline{\mathbf{x}}$	GB	United Kingdom	図	SI	Slovenia		
X		Grenada					
×				SK	Slovakia		
=		•	\boxtimes	SL	Sierra Leone		
M		Ghana	\mathbf{X}	TJ	Tajikistan		
X		Gambia	\square	TM	Turkmenistan		
\mathbf{Z}	HR		\square	TR	Turkey		
\boxtimes	HU	Hungary	\square	TT	Trinidad and Tobago		
图	ID	Indonesia	\square	UA	Ukraine		
\mathbf{x}	IL	Israel	\boxtimes	UG			
\boxtimes	IN	India	\mathbf{x}	US	United States of America		
図	IS -	Iceland			*		
$\overline{\mathbb{X}}$	JP	Japan	M	UZ			
×	KE				Uzbekistan		
	KG	Kenya			Viet Nam		
\boxtimes		Kyrgyzstan			Yugoslavia		
团	KP	Democratic People's Republic of Korea	X	ZW	Zimbabwe		
_			Ch	eck-bo	xes reserved for designating States (for the purposes of		
M	KR	,	an	ational	patent) which have become party to the PCT after of this sheet:		
\mathbf{Z}	ΚZ	Kazakhstan					
图	LC	Saint Lucia	X	AE.	United Arab Emirates		
\mathbf{X}	LK	Sri Lanka			South Africa		
\mathbf{X}		Liberia	$\bar{\Box}$		************		
		_					

Precautionary Designation Statement: In addition to the designations made above, the applicant also makes under Rule 4.9(b) all other designations which would be permitted under the PCT except any designation(s) indicated in the Supplemental Box as being excluded from the scope of this statement. The applicant declares that those additional designations are subject to confirmation and that any designation which is not confirmed before the expiration of 15 months from the priority date is to be regarded as withdrawn by the applicant at the expiration of that time limit. (Confirmation of a designation consists of the filing of a notice specifying that designation and the payment of the designation and confirmation fees. Confirmation must reach the receiving Office within the 15-month time limit.)

		∪nēēt i√ō.					
Box No. VI PRIORITY			Further price	ority claims are indicated	in the Supplemental Box.		
Filing date	Number			Where earlier applicati	on is:		
of earlier application (day/month/year)	of earlier applic	nation	al application: country	ional application:* regional Office	international application: receiving Office		
item (1)	_						
item (2)							
item (3)							
The receiving Office is of the earlier application purposes of the present	on(s) <i>(onlv if the earlic</i>	er application wa	s filed with the	Office which for the			
* Where the earlier application Convention for the Protection	n is an ARIPO applicatio of Industrial Property for	n, it is mandatory i which that earlier	o indicate in the S application was fi	Supplemental Box at least a	me country party to the Paris Supplemental Box.		
	TIONAL SEARCHIN		<i>'</i>	<u> </u>			
Choice of International Sec (if two or more International competent to carry out the in the Authority chosen; the swo-	Searching Authorities a ternational search, indica	are search has be	en carried out by o	or requested from the Interi	to that search (if an earlier national Searching Authority): Country (or regional Office)		
ISA /							
Box No. VIII CHECK L	IST; LANGUAGE C	F FILING					
This international application the following number of st	neets:		-	nied by the item(s) mark	ed below:		
request :	3 / 3 = 3	ee calculation she			•		
description (excluding sequence listing part): 2. Separate signed power of attorney reference number, if any:							
claims :	2 4. 🗆 si	tatement explaini	ng lack of signat	иге			
abstract :	1 5. 🗆 p	riority document(s) identified in F	Box No. VI as item(s):			
drawings :	2 / 6. 🗆 tr	ranslation of inter	national applicat	ion into (language):			
sequence listing part of description :	_	7. separate indications concerning deposited microorganism or other biological material 8. nucleotide and/or amino acid sequence listing in computer readable form					
Total number of sheets:	, l	ther (specify):					
Figure of the drawings whe should accompany the abstraction	nich	Language of	f filing of the application:	English			
Box No. IX SIGNATURE OF APPLICANT OR AGENT							
Next to each signature, indicate th			which the person s	igns (if such capacity is not ob	vious from reading the request)		
• •		No.	we	~ e			
· I	LAWREI	CE, John	Gordon	- Agent			
							
Date of actual receipt of international application			Office use only 1999	29 06 99	2. Drawings:		
Corrected date of actual timely received papers of the purported internation	or drawings completing				received:		
4. Date of timely receipt o corrections under PCT					not received:		
5. International Searching (if two or more are comp	Authority ISA /	6.		tal of search copy delayerch fee is paid.	ed		
		For International	Bureau use only				
Date of receipt of the recor by the International Bureau	d copy						

Form PCT/RO/101 (last sheet) (July 1998; reprint January 1999)

See Notes to the request form

APPARATUS FOR FEEDING SHEET MATERIAL

This invention concerns apparatus for feeding sheet material, particularly, though by no means exclusively, of corrugated board or card as used in the box and case making industries.

In general, stacked sheets are placed on a feed table against a gate which allows only the lowermost sheet to pass therebeneath under the action of forwarding means such as a reciprocating vacuum suction cup, feed rollers or a kicker mechanism, to be fed to take-up means such as the nip between take-up rolls or gripper bars for example of a converting machine such as a rotary die cutter.

It is, of course, essential that the leading edge of each sheet is presented to the take-up means at precisely the correct instant in each machine cycle.

To this end prior known sheet feeding apparatus has relied upon the leading edge of each sheet being at a defined position at the commencement of feed. Many factors, including premature movement of a sheet by continuing rotation of feed rollers after the previously fed sheet has cleared them, mechanical tolerances, improper stacking of the sheets on the feed table, sheet quality and even atmospheric conditions can cause the leading edge of a sheet to be displaced from the expected defined position at the commencement of feed.

It is an object of the present invention to provide sheet feeding apparatus which overcomes the difficulties aforesaid.

According to the present invention there is provided apparatus for feeding sheet material sequentially on demand to processing machinery having a take-up mechanism comprising a feed table having a gate and upon which sheets may be stacked against the gate which allows only the lowermost sheet to pass therebeneath, means driven by a servo-motor to advance the lowermost sheet beneath the gate to the take-up mechanism, a sensing means between the gate and the take-up mechanism to detect the passage of the leading edge of the sheet, a microprocessor which receives data indicating the position of the take-up mechanism and from the sensing means and programmed to control the servo-motor to ensure that the leading edge of the sheet presents itself to the take-up mechanism at the correct instant.

The microprocessor may also be programmed to ensure that the leading edge of the sheet presents itself to the take-up mechanism at a desired speed.

The take-up mechanism may comprise a pair of take-up rolls.

The desired speed may be slightly less than the speed at which the take-up mechanism forwards the sheet.

The take-up mechanism may comprise gripper bars.

The desired speed may be zero.

The means driven by the servo-motor may comprise a bed of rollers within the surface of the table which are rotatably driven to advance the lowermost sheet beneath the gate to the take-up mechanism when forward drive to the rollers is arrested and means to allow the rollers to free-wheel once the lowermost sheet is being advanced thereover by the take-up mechanism.

The invention will be further apparent from the following description with reference to the figures of the accompanying drawings which show, by way of example only, one form of apparatus embodying same.

Of the drawings:-

Figure 1

shows a side elevation of the apparatus; and

Figure 2

shows a cross-section through the apparatus

on the line II-II of Figure 1.

Referring now to the drawings, it will be seen that the apparatus comprises a feed table 10 upon which a stack of sheets S may be placed against a gate 11 beneath which only the lowermost sheet in the stack may pass.

Successive sheets are advanced beneath the gate 11 into the nip of take-up rolls 12 by a bed 13 of rollers 14 within the surface of the table. The take-up rolls 12 forward the successive sheets in timed sequence to processing machinery such as a rotary die-cutter.

The rollers are mounted within a chamber 15 to which vacuum suction is applied to pull the lowermost sheet downwardly thereagainst.

The rollers 14 advance the lowermost sheet by being rotatably driven as indicated by the arrows X. Once the sheet is advanced by the rolls 12 drive to the rollers 14 ceases and they are allowed to free-wheel as the sheet is drawn thereover, the rollers 14 having sprag clutches between their inner peripheries and their drive shafts 16. As

the next sheet in the stack drops onto the rollers 14 their free-wheeling rotation is arrested.

The drive shafts 16 are rotatably interconnected by timing drive belts 17 and one shaft is driven by a timing belt 18 itself driven intermittently in a forward direction only by a servo-electric motor 21 which stops whilst a sheet is being advanced by the take-up rolls 12 and which operates at a timed sequence demanded by the processing machinery.

In accordance with the invention the servo-motor 21 is controlled by a microprocessor 30 which receives data from a pulsed shaft encoder 31 indicating the rotational position of the take-up rolls 12 and also from a sensing means comprising a high speed fibre optic sensor 32 between the gate 11 and take-up rolls 12 detecting passage of the leading edge of a sheet being fed.

The microprocessor 30 is programmed to control the servo-motor 21 to ensure that the leading edge of each sheet presents itself at the nip between the rolls 12 at precisely the correct instant and at a desired speed.

It will be understood that the exact position of the leading edge of any sheet at the commencement of feed is immaterial, since control is determined from the datum position of the sensor 32.

It will be appreciated that it is not intended to limit the invention to the above example only, many variations, such as might readily occur to one skilled in the art, being possible, without departing from the scope thereof as defined by the appended claims. Thus, for example, the take-up mechanism might comprise gripper bars when the microprocessor would be programmed to present the leading edge to the gripper bars at the correct instant but at zero speed.

Again, for example, vacuum suction might be applied to the sheet in the stack above the sheet being fed to prevent the free-wheeling rollers from displacing that sheet prematurely or means may be provided to brake the free-wheeling rollers as soon as the sheet being fed clears them thus reducing the amount of correction which might otherwise be required by the microprocessor.

CLAIMS

- Apparatus for feeding sheet material sequentially on demand to processing machinery having a take-up mechanism comprising a feed table having a gate and upon which sheets may be stacked against the gate which allows only the lowermost sheet to pass therebeneath, means driven by a servo-motor to advance the lowermost sheet beneath the gate to the take-up mechanism, a sensing means between the gate and the take-up mechanism to detect the passage of the leading edge of the sheet, a microprocessor which receives data indicating the position of the take-up mechanism and from the sensing means and programmed to control the servo-motor to ensure that the leading edge of the sheet presents itself to the take-up mechanism at the correct instant.
- 2. Apparatus according to claim 1 wherein the microprocessor is programmed to ensure that the leading edge of the sheet presents itself to the take-up mechanism at a desired speed.
- 3. Apparatus according to claim 2 wherein the take-up mechanism comprises a pair of take-up rolls.
- 4. Apparatus according to claim 3 wherein the desired speed is slightly less than the speed at which the take-up mechanism forwards the sheet.
- 5. Apparatus according to claim 2 wherein the take-up mechanism comprises gripper bars.
- 6. Apparatus according to claim 5 wherein the desired speed is zero.

Apparatus according to any preceding claim wherein the means driven by the servo-motor comprises a bed of rollers within the surface of the table which are rotatably driven to advance the lowermost sheet beneath the gate to the take-up mechanism when forward drive to the rollers is arrested and means to allow the rollers to free-wheel once the lowermost sheet is being advanced thereover by the take-up mechanism.

ABSTRACT

Apparatus for Feeding Sheet Material

There is disclosed apparatus for feeding sheet material sequentially on demand to processing machinery having a take-up mechanism comprising a feed table having a gate and upon which sheets may be stacked against the gate which allows only the lowermost sheet to pass therebeneath, means driven by a servo-motor to advance the lowermost sheet beneath the gate to the take-up mechanism, a sensing means between the gate and the take-up mechanism to detect the passage of the leading edge of the sheet, a microprocessor which receives data indicating the position of the take-up mechanism and from the sensing means and programmed to control the servo-motor to ensure that the leading edge of the sheet presents itself to the take-up mechanism at the correct instant.



